SL01-U530N

Smart Rim Digital Door Lock



Introduction

The SL01-U530N is a smart rim lock with an innovative design that no need for a mortise, this eliminates the requirement for drilling or complex installation processes on mortise, offering a straightforward installation experience that does not compromise on security or functionality.

Additionally, Additionally, this smart lock features WiFi connectivity, enabling users to monitor access logs in real-time and generate temporary access codes through the NGTeco Home App, ensuring seamless control and enhanced security for modern households.

The SL01-U530N is the optimal choice for customers who value a minimalist, uncluttered lifestyle.

Features

Wi-Fi Technology
Unlocks and manages the lock from anywhere

Auto Lock
Once the door is closed, the lock will lock automatically

Tamper Alarm
The lock will sound an alarm If someone tries to force the lock from the door

Low Battery Alert
Visual alerts will tell you the battery status

Temporary Password Sharing
Sharing access with temporary passwords for visitors

Silent Motor Technology
The locking and unlocking mechanisms do not produce disruptive noise

Adjustable Backset
The backset can be adjusted to 50mm, 60mm or 70mm, ensuring compatibility with different doors


Fit for all Opening Direction
The opening direction can be easily adjusted to align with your door's swing

Specifications


Material	Housing Material	Aluminium Alloy + ABS
	Color Options	Black
Technical	Unlocking Methods	Fingerprint, Card, Passcode, (4 to 10 digits) NGTeco Home APP, Mechanical Key
	Capacity	Fingerprint: 100 Passcode: 100 Card: 100 Mobile App Records: last 6 months
	Fingerprint Sensor	Capacitive
	Card Reader	IC Card @13.56 MHz NFC Supported
	Audio Prompt Language	English, Portuguese, Espanol
	Wireless Communication	IEEE 802.11b/g/n (2.4GHz Wi-Fi) BLE 5.0 (only for network configuration)
	Emergency Power	USB Type-C Interface, DC 5V
	Power Supply	4× AA Alkaline Batteries
	Battery Life	approximately 12 months *Battery life is estimated based on an average of 10 accesses per day while maintaining the Wi-Fi connection
	Supported App	NGTeco Home
Door Compatibility	Door Type	Wooden Swing Door
	Door Thickness	25 to 50mm (standard)
	Opening Direction	All Direction
General	Net Weight	1.6 kg
	Gross Weight	1.8 kg
	Product Dimensions (H×W×T)	Exterior: 179×72×20 mm Interior: 167.5×88.5×52 mm
	Package Dimensions (L×W×H)	260.0×200.0×84.0 mm
	Operating Temperature	-20°C to 55°C (-4°F to 131°F)
	Operating Humidity	10% to 90% RH (Non-condensing)
	Certifications	CE
Package Contents	Exterior Assembly, Interior Assembly, Strike Box Kit, IC Card * 2, Mechanical Key * 2, Studs & Screws Kit, Mounting Plate Screws, Installation Template, Installation Guide & User Manual	

Mobile Application


Remote Unlocking




Unlocking Records



Temporary Passcode



More Setting




Compatible With
NGTeco Home App

Download on the App Store

GET IT ON Google Play

Dimensions(mm)



Copyright © 2025 NGTECO CO., LOIMITED. All rights reserved.